Birding Mongolia
For Siberian Star Birds

Stints, Sandpipers, Thrushes, Buntings, Warblers & more



This trip gives you the best chance to watch and photograph all Siberian and central Asian illusive and shy bird species on open ground or scattered bushes, and in planted trees. Sometimes you will find 3-5 species of rare warblers in a single tree during the migration period in Mongolia. Pallas's Leaf and Yellow-browed, Arctic, Dusky and Greenish Warblers are proved to be difficult species to photograph or even get a good view in the field, but this trip will surely bring you to them at close distance.

Drive varied natural habitats found in Mongolia with excellent company and professional guides for watching fantastic birdlife and long-lived nomadic culture. The top birds include the uncommon Red-necked and Long-toed Stints, smart Broad-billed, Terek & Sharp-tailed Sandpipers, Little Curlew, Relict Gull, White's and Dusky Thrushes, and internationally threatened Asian Dowitcher and Siberian Accentor, Little Bunting and more.

- Expect more than 200 species, many of which being rare Siberian migrants.
- Unpredictable and "Strange" species for a habitat will be seen during the migration period.
- The trip makes a great effort to find migrants through the eastern and central Mongolian steppes, freshwater and salty lakes, marshlands, and taiga.

Trip code: BM-SAM1

Price per person: US$ 2,745 **Deposit:** US$ 1,002

Date: 10 - 23 Aug (14 days) **Group size:** 4 -12 persons

The price **includes** all transport and accommodations within Mongolia, and meals, expert bird guide, drinking water, nomad family visit, entrance fees to all protected areas, and road tolls.

The price **excludes** international transport, all types of insurance, visa, alcoholic drinks and items of personal nature, binoculars, telescopes and tripods, sleeping bags, extra luggage, optional tours.

We cannot warranty: Occasional flight delays or cancellations, poor roads conditions, items of personal nature, adverse weather conditions, any personal injure.

DATE	WILDLIFE SITES
Day 1.	Ulaanbaatar
Day 2.	Gun-Galuut NR
Day 3-4.	Chinggis through Murun Plantation
Day 5.	Gun-Galuut NR
Day 6-7.	Gorkhi-Terelj NP
Day 8.	Khustai NP
Day 9.	Khugnu-Tarna NP
Day 10.	Kharkhorin
Day 11-12.	Ugii Lake
Day 13.	Ulaanbaatar through Tsagaan Lake
Day 14.	Departure

GO TO WEBSITE

tour map, gallery and terms and condition

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.

TRIP ITINERARY



Little Bunting



Siberian Accentor



Red-necked Stint

Day 1. Arrive in Ulaanbaatar
Our crew picks you up at the Chinggis Khaan international airport upon your arrival in Ulaanbaatar, capital of Mongolia and transfer to the reserved hotel. Optional rest for few hours at the hotel. After lunch (in case you arrive before lunch), visit Tuul river valley for introduction birding at the wetland and a beautiful mix of cherry, elm, willow and poplar. Interesting birds here include Long-tailed Rosefinch, Azure Tit, White-crowned Penduline Tit, White-cheeked Starling, Black Stork, and truly wild and uncommon Mandarin and Falcated Ducks. Welcome dinner at one of the better restaurants in Ulaanbaatar. **Food:** Welcome dinner. **Road:** Total coverage 30 km paved road (30 minutes' drive).

Day 2. Gun Galuut Nature Reserve
After breakfast, drive east of the Ulaanbaatar city to get the nature reserve which is a well-known place for its healthy population of Argali Wild Sheep and a good stop-over site for migratory birds. The habitats here vary from shallow pools with small reed beds to the willows grown between the rocky mountains and wonderful Kherlen river. Here we find the most sought-after Siberian migrants such as Siberian Accentor, Little Bunting, White's, Dusky & Naumann's Thrushes, Arctic, Greenish & Lanceolated Warblers, Dusky, Pallas's Leaf and Yellow-browed Warblers, and shorebirds including Red-necked, Little and Long-toed Stints, Broad-billed and Sharp-tailed Sandpipers, Asian Dowitcher, and probably Pintail and Common Snipe and more. Overnight in a traditional ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 130 km paved road (2-3 hours' drive).

Day 3-4. Chinggis Town through Murun Plantation
After breakfast, start driving further east to the town Chinggis. En route, visit a planted poplar trees which is also considered to be a good stop-over site for migrants such as Asian Brown, Dark-sided and Taiga

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.


Long-toed Stint


White's Thrush


Naumann's Thrush

Flycatchers, Oriental Cuckoo, Siberian Rubythroat, Red-flanked Bluetail, Pallas's Leaf, Arctic, Dusky and Greenish Warblers, Oriental Honey Buzzard etc.
Next day, do birding along the beautiful Kherlen river near the Chinggis town for better views of above mentioned species. The place provides a good chance for White's, Dusky & Naumann's Thrushes. Stay in a local hotel. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 200 km paved road (2-3 hours' drive).

Day 5. Gun Galuut Nature Reserve
In order to minimize the long drive, the group has to spend one more night at the nature reserve which provides a better chance to have good views of some shy species and find missing species. Overnight in a traditional ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 200 km paved road (2-3 hours' drive).

Day 6-7. Gorkhi-Terelj NP
Drive to the national park do not take too long so those who want to visit Chinggis Khaan Equestrian Monument which is located close to the main road. The national park is located on the southern tip of the great Siberian boreal forest (taiga); the rear side of mountains covered by a mix of trees dominated by Siberian Larch, Pine, Birch and Poplar. The mountains intercepted by the bushy valleys provide a suitable habitat for breeding and migratory birds. The top birds breed here include Daurian Jackdaw, Hoopoe, Grey-headed, Black, Lesser Spotted & Three-toed Woodpeckers, Pine Bunting, Olive-backed Pipit, Red-throated Thrush, Red-flanked Bluetail, Siberian Rubythroat, Chinese Bush Warbler, Asian Brown, Dark-sided and Taiga Flycatcher and Eastern Buzzard. Overnight in a tourist ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 70 km paved road (1-2 hours' drive).

Day 8. Khustai NP
Drive west to Khustai national park, the land of the reintroduced Przewalski's Wild Horse (*Equus przewalskii*). Thanks to the park's good conservation management, the species which was on the brink of extinction is now

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.


Pallas's Leaf Warbler


Thick-billed Warbler


Asian Dowitcher

exceeded well over 220 individuals. Along with other interesting mammals, watch its fascinating birdlife including Golden & Steppe Eagles, Saker & Amur Falcons, Cinereous & Himalayan Vultures, Meadow Bunting, Daurian Partridge, Isabelline & Brown Shrike and Mongolian Lark. Interesting migrants list Eye-browed & Dusky Thrushes, Pallas's Leaf & Thick-billed Warblers, Little Bunting and more. Overnight in a tourist ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 150 km paved road (2-3 hours' drive).

Day 9. Khugnu-Tarna NP

The place provides wonderful contrasting scenery of sand dune, wetland, and rocky mountain. If you are interested, you have a chance to ride a well-trained Bactrian camel on the sand dune. A pair of White-naped Cranes breeds at the wetland every year, symbolizing the ever-lasting life of the place, which yields a long list of lifers for many birders from around the world. The top birds include Lammergeier, Bar-headed & Swan Geese, Eastern Marsh Harrier, Chinese Spot-billed Duck, Black-throated Loon, Asian Dowitcher, Pallas's Grasshopper and Oriental Reed Warblers, Citrine and Eastern Yellow Wagtails, and migrating waders including Red-necked and Long-toed Stints, Broad-billed and Sharp-tailed Sandpipers, Little and Earasian Curlews and many more. Overnight in a tourist ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 170 km paved road (2-3 hours' drive).

Day 10. Kharkhorin

Stay in the ancient capital of Mongolia back in 13th century. Unfortunately, it has been destroyed several times and there remained an old monastery Erdenezuu and a very informative Kharkhorin museum. Visits to the cultural attractions are optional. Birding opportunity takes the group to the sea buckthorn plantation which usually produces special migrants including Greenish, Pallas's Leaf, and Dusky Warblers, Taiga, Dark-sided and Asian Brown Flycatchers, Pallas's Reed Bunting, and Blyth's Pipit. Overnight in a tourist ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 90 km paved road (1 hour' drive).

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.


Sharp-tailed Sandpiper


Broad-billed Sandpiper

Day 11-12. Ugii Lake
The lake's shoreline and surrounding pools are a paradise of waders during the migration period. Considering its importance for wetland birds, the lake has been designated as Ramsar Site of International Importance. The top waders include Little, Long-toed and Red-necked Stints, Broad-billed, Wood, Curlew, and Sharp-tailed Sandpipers, Asian Dowitcher, Pacific Golden Plover, Little Curlew, Avocet, Black-winged Stilt and many more. Besides the waders, lake is a home to many waterfowls including Pintail, Garganey, Common and Red-crested Pochards, Ruddy and Common Shelducks etc. Highest opportunity for Pallas's Fish Eagle and Relict Gull and Pallas's Gull. The passerines include Pallas's Reed Bunting, Citrine, White and Yellow Wagtails, Rock Sparrow and Small Snowfinch e.g. Overnight in a tourist ger camp. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 70 km dust/paved road (1-2 hour' drive).

Day 13. Ulaanbaatar through Tsagaan Lake
Early morning start to the Tsagaan lake, a shallow salty water lake which attracts many waders and other birds during this period of the year. Apart from the wetland missing species, we may add following birds to the list: Gull-billed and White-winged Terns, Bluethroat, Paddyfield Warbler etc.

Arrive in Ulaanbaatar in the afternoon. Optional shopping and city tour available. Overnight in a hotel. **Food:** Breakfast, Lunch, Dinner. **Road:** Total coverage 300 km paved and 30 km dust road (4-5 hours' drive).

Day 14. Departure
A transfer to the airport will be the end of our services in Mongolia.

GO TO WEBSITE
tour map, gallery and terms and condition

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.

PLEASE CONTACT US FOR TRIP DATES, PRICES, GROUP SIZE AND AVAILABILITY

Your local host is Mongolica Travel in cooperation with Mongolian Ornithological Society. Your careful checklist for the trip will help collect data on the migratory birds of this poorly known country, which will update the Mongolian National Bird Database run by Mongolian Ornithological Society.

No	Scientific name	English name	Notes
1.	*Gavia arctica*	Arctic Loon	
2.	*Podiceps nigricollis*	Black-necked Grebe	
3.	*Podiceps auritus*	Horned Grebe	
4.	*Podiceps cristatus*	Great Crested Grebe	
5.	*Pelecanus crispus*	Dalmatian Pelican	
6.	*Phalacrocorax carbo*	Great Cormorant	
7.	*Ardea cinerea*	Grey Heron	
8.	*Platalea leucorodia*	Eurasian Spoonbill	
9.	*Ciconia nigra*	Black Stork	
10.	*Anser anser*	Greylag Goose	
11.	*Anser indicus*	Bar-headed Goose	
12.	*Anser cygnoides*	Swan Goose	
13.	*Cygnus olor*	Mute Swan	
14.	*Cygnus cygnus*	Whooper Swan	
15.	*Tadorna ferruginea*	Ruddy Shelduck	
16.	*Tadorna tadorna*	Common Shelduck	
17.	*Anas platyrhynchos*	Mallard	
18.	*Anas poecilorhyncha*	Spot-billed Duck	
19.	*Anas crecca*	Common Teal	
20.	*Anas falcata*	Falcated Duck	
21.	*Anas strepera*	Gadwall	
22.	*Anas penelope*	Eurasian Wigeon	
23.	*Anas acuta*	Northern Pintail	
24.	*Anas querquedula*	Garganey	
25.	*Anas clypeata*	Northern Shoveler	
26.	*Netta rufina*	Red-crested Pochard	
27.	*Aythya ferina*	Common Pochard	
28.	*Aythya fuligula*	Tufted Duck	
29.	*Aythya marila*	Greater Scaup	
30.	*Bucephala clangula*	Common Goldeneye	
31.	*Melanitta fusca*	White-winged Scoter	
32.	*Mergus merganser*	Common Merganser	
33.	*Pernis ptilorhyncus*	Oriental Honey Buzzard	Rare migrant
34.	*Milvus migrans*	Black Kite	
35.	*Circus cyaneus*	Hen Harrier	
36.	*Circus melanoleucos*	Pied Harrier	Rare migrant
37.	*Circus spilonotus*	Eastern Marsh Harrier	
38.	*Accipiter gentilis*	Northern Goshawk	
39.	*Accipiter nisus*	Eurasian Sparrowhawk	
40.	*Accipiter gularis*	Japanese Sparrowhawk	
41.	*Buteo hemilasius*	Upland Buzzard	
42.	*Buteo rufinus*	Long-legged Buzzard	Rare migrant
43.	*Buteo buteo*	Common Buzzard	
44.	*Butastur indicus*	Grey-faced Buzzard	

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.

45.	*Hieraaetus pennatus*	Booted Eagle	
46.	*Hieraaetus fasciatus*	Bonelli's Eagle	Rare migrant
47.	*Aquila nipalensis*	Steppe Eagle	
48.	*Aquila heliaca*	Eastern Imperial Eagle	Rare migrant
49.	*Aquila chrysaetos*	Golden Eagle	
50.	*Haliaeetus leucoryphus*	Pallas' Fish Eagle	
51.	*Haliaeetus albicilla*	White-tailed Eagle	
52.	*Gypaetus barbatus*	Lammergeier	
53.	*Aegypius monachus*	Cinereous Vulture	
54.	*Gyps himalayensis*	Himalayan Vulture	
55.	*Falco cherrug*	Saker Falcon	
56.	*Falco peregrinus*	Peregrine Falcon	
57.	*Falco subbuteo*	Eurasian Hobby	
58.	*Falco columbarius*	Merlin	Rare migrant
59.	*Falco amurensis*	Amur Falcon	
60.	*Falco naumanni*	Lesser Kestrel	
61.	*Falco tinnunculus*	Common Kestrel	
62.	*Tetrastes bonasia*	Hazel Grouse	
63.	*Perdix dauurica*	Daurian Partridge	
64.	*Coturnix japonica*	Japanese Quail	
65.	*Grus leucogeranus*	Siberian Crane	
66.	*Grus grus*	Common Crane	
67.	*Grus vipio*	White-naped Crane	
68.	*Grus monacha*	Hooded Crane	
69.	*Anthropoides virgo*	Demoiselle Crane	
70.	*Fulica atra*	Common Coot	
71.	*Otis tarda*	Great Bustard	Rare
72.	*Pluvialis squatarola*	Grey Plover	
73.	*Pluvialis fulva*	Pacific Golden Plover	
74.	*Charadrius hiaticula*	Common Ringed Plover	
75.	*Charadrius dubius*	Little Ringed Plover	
76.	*Charadrius alexandrinus*	Kentish Plover	
77.	*Charadrius leschenaultii*	Greater Sand Plover	
78.	*Charadrius mongolus*	Mongolian Plover	
79.	*Charadrius veredus*	Oriental Plover	
80.	*Vanellus vanellus*	Northern Lapwing	
81.	*Arenaria interpres*	Ruddy Turnstone	
82.	*Himantopus himantopus*	Black-winged Stilt	
83.	*Recurvirostra avosetta*	Pied Avocet	
84.	*Tringa ochropus*	Green Sandpiper	
85.	*Tringa glareola*	Wood Sandpiper	
86.	*Tringa nebularia*	Common Greenshank	
87.	*Tringa totanus*	Common Redshank	
88.	*Tringa erythropus*	Spotted Redshank	
89.	*Tringa stagnatilis*	Marsh Sandpiper	
90.	*Heteroscelus brevipes*	Grey-tailed Tattler	Tatler
91.	*Actitis hypoleucos*	Common Sandpiper	
92.	*Xenus cinereus*	Terek Sandpiper	
93.	*Phalaropus lobatus*	Red-necked Phalarope	
94.	*Philomachus pugnax*	Ruff	
95.	*Calidris minuta*	Little Stint	
96.	*Calidris subminuta*	Long-toed Stint	
97.	*Calidris ruficollis*	Red-necked Stint	

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.

98.	*Calidris temminckii*	Temminck's Stint	
99.	*Calidris ferruginea*	Curlew Sandpiper	
100.	*Calidris alpina*	Dunlin	
101.	*Calidris acuminata*	Sharp-tailed Sandpiper	
102.	*Calidris canutus*	Red Knot	Rare migrant
103.	*Calidris alba*	Sanderling	
104.	*Limicola falcinellus*	Broad-billed Sandpiper	
105.	*Gallinago gallinago*	Common Snipe	
106.	*Gallinago stenura*	Pin-tailed Snipe	
107.	*Numenius arquata*	Eurasian Curlew	
108.	*Numenius madagascariensis*	Far Eastern Curlew	Rare migrant
109.	*Limosa limosa*	Black-tailed Godwit	
110.	*Limnodromus semipalmatus*	Asian Dowitcher	
111.	*Larus relictus*	Relict Gull	Rare
112.	*Larus ridibundus*	Black-headed Gull	
113.	*Larus mongolicus*	Mongolian Gull	
114.	*Chlidonias niger*	Black Tern	
115.	*Chlidonias leucopterus*	White-winged Tern	
116.	*Chlidonias hybridus*	Whiskered Tern	
117.	*Gelochelidon nilotica*	Gull-billed Tern	
118.	*Hydroprogne caspia*	Caspian Tern	
119.	*Sterna hirundo*	Common Tern	
120.	*Columba livia*	Rock Pigeon	
121.	*Columba rupestris*	Hill Pigeon	
122.	*Streptopelia decaocto*	Eurasian Collared Dove	
123.	*Streptopelia orientalis*	Oriental Turtle Dove	
124.	*Cuculus canorus*	Common Cuckoo	
125.	*Cuculus saturatus*	Oriental Cuckoo	
126.	*Bubo bubo*	Eurasian Eagle-owl	
127.	*Athene noctua*	Little Owl	
128.	*Apus apus*	Common Swift	
129.	*Apus pacificus*	Fork-tailed Swift	
130.	*Alcedo atthis*	Common Kingfisher	
131.	*Upupa epops*	Eurasian Hoopoe	
132.	*Jynx torquilla*	Eurasian Wryneck	
133.	*Picus canus*	Grey-faced Woodpecker	
134.	*Dryocopus martius*	Black Woodpecker	
135.	*Dendrocopos major*	Great Spotted Woodpecker	
136.	*Dendrocopos leucotos*	White-backed Woodpecker	
137.	*Dendrocopos hyperythrus*	Rufous-bellied Woodpecker	
138.	*Dendrocopos minor*	Lesser Spotted Woodpecker	
139.	*Picoides tridactylus*	Eurasian Three-toed Woodpecker	
140.	*Riparia riparia*	Sand Martin	
141.	*Hirundo rustica*	Barn Swallow	
142.	*Delichon urbicum*	Common House Martin	
143.	*Calandrella brachydactyla*	Greater Short-toed Lark	
144.	*Calandrella cheleensis*	Asian Short-toed Lark	
145.	*Melanocorypha mongolica*	Mongolian Lark	
146.	*Eremophila alpestris*	Horned Lark	
147.	*Alauda arvensis*	Eurasian Skylark	
148.	*Anthus richardi*	Richard's Pipit	
149.	*Anthus godlewskii*	Blyth's Pipit	

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.

150.	*Anthus hodgsoni*	Olive-backed Pipit
151.	*Anthus spinoletta*	Water Pipit
152.	*Motacilla flava*	Yellow Wagtail
153.	*Motacilla citreola*	Citrine Wagtail
154.	*Motacilla cinerea*	Grey Wagtail
155.	*Motacilla alba*	White Wagtail
156.	*Lanius cristatus*	Brown Shrike
157.	*Lanius isabellinus*	Rufous-tailed Shrike
158.	*Lanius excubitor*	Great Grey Shrike
159.	*Sturnus cineraceus*	White-cheeked Starling
160.	*Garrulus glandarius*	Eurasian Jay
161.	*Cyanopica cyanus*	Azure-winged Magpie
162.	*Pica pica*	Black-billed Magpie
163.	*Nucifraga caryocatactes*	Spotted Nutcracker
164.	*Pyrrhocorax pyrrhocorax*	Red-billed Chough
165.	*Corvus dauuricus*	Daurian Jackdaw
166.	*Corvus frugilegus*	Rook
167.	*Corvus corone*	Carrion Crow
168.	*Corvus corax*	Common Raven
169.	*Prunella fulvescens*	Brown Accentor
170.	*Prunella montanella*	Siberian Accentor
171.	*Bradypterus tacsanowskius*	Chinese Bush Warbler
172.	*Locustella certhiola*	Pallas' Grasshopper Warbler
173.	*Locustella lanceolata*	Lanceolated Warbler
174.	*Acrocephalus orientalis*	Oriental Reed Warbler
175.	*Acrocephalus aedon*	Thick-billed Warbler
176.	*Sylvia communis*	Common Whitethroat
177.	*Sylvia curruca*	Lesser Whitethroat
178.	*Phylloscopus borealis*	Arctic Warbler
179.	*Phylloscopus trochiloides*	Greenish Warbler
180.	*Phylloscopus plumbeitarsus*	Two-barred Greenish Warbler
181.	*Phylloscopus inornatus*	Inornate Warbler
182.	*Phylloscopus proregulus*	Pallas' Leaf Warbler
183.	*Phylloscopus fuscatus*	Dusky Warbler
184.	*Ficedula albicilla*	Taiga Flycatcher
185.	*Muscicapa striata*	Spotted Flycatcher
186.	*Muscicapa sibirica*	Dark-sided Flycatcher
187.	*Muscicapa dauurica*	Asian Brown Flycatcher
188.	*Saxicola maura*	Siberian Stonechat
189.	*Oenanthe oenanthe*	Northern Wheatear
190.	*Oenanthe pleschanka*	Pied Wheatear
191.	*Oenanthe deserti*	Desert Wheatear
192.	*Oenanthe isabellina*	Isabelline Wheatear
193.	*Monticola saxatilis*	Rufous-tailed Rock Thrush
194.	*Phoenicurus phoenicurus*	Common Redstart
195.	*Phoenicurus ochruros*	Black Redstart
196.	*Phoenicurus erythronotus*	Rufous-backed Redstart
197.	*Phoenicurus auroreus*	Daurian Redstart
198.	*Luscinia calliope*	Siberian Rubythroat
199.	*Luscinia svecica*	Bluethroat
200.	*Luscinia cyane*	Siberian Blue Robin
201.	*Tarsiger cyanurus*	Red-flanked Bluetail
202.	*Turdus obscurus*	Eye-browed Thrush

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.

203.	*Turdus ruficollis*	Red-throated Thrush	
204.	*Turdus naumanni*	Naumann's Thrush	
205.	*Turdus eunomus*	Dusky Thrush	
206.	*Zoothera dauma*	White's Thrush	
207.	*Panurus biarmicus*	Bearded Parrotbill	
208.	*Aegithalos caudatus*	Long-tailed Tit	
209.	*Remiz coronatus*	White-crowned Penduline Tit	
210.	*Parus palustris*	Marsh Tit	
211.	*Parus montanus*	Willow Tit	
212.	*Parus ater*	Coal Tit	
213.	*Parus cyanus*	Azure Tit	
214.	*Parus major*	Great Tit	
215.	*Sitta europaea*	Wood Nuthatch	
216.	*Passer domesticus*	House Sparrow	
217.	*Passer montanus*	Eurasian Tree Sparrow	
218.	*Petronia petronia*	Rock Sparrow	
219.	*Pyrgilauda davidiana*	Small Snowfinch	
220.	*Fringilla montifringilla*	Brambling	
221.	*Chloris sinica*	Grey-capped Greenfinch	Rare
222.	*Acanthis flavirostris*	Eurasian Twite	
223.	*Acanthis flammea*	Common Redpoll	
224.	*Carpodacus erythrinus*	Common Rosefinch	
225.	*Uragus sibiricus*	Long-tailed Rosefinch	
226.	*Coccothraustes coccorhraustes*	Eurasian Hawfinch	
227.	*Emberiza leucocephalos*	Pine Bunting	
228.	*Emberiza cioides*	Meadow Bunting	
229.	*Emberiza schoeniclus*	Reed Bunting	
230.	*Emberiza pallasi*	Pallas' Reed Bunting	
231.	*Emberiza pusilla*	Little Bunting	
232.	*Emberiza spodocephala*	Black-faced Bunting	
233.	*Emberiza aureola*	Yellow-breasted Bunting	Rare migrant

All photos and text are property of Mongolica Co.Ltd. Please contact us for more information infomongolica@gmail.com OR info@mongolica.org.